

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Nursing Home Name	Street
145257	CRYSTAL PINES REHAB & HCC	335 NORTH ILLINOIS AVENUE
145816	LEXINGTON OF LAKE ZURICH	900 SOUTH RAND ROAD
145612	SPRINGS AT CRYSTAL LAKE, THE	1000 EAST BRIGHTON LANE
145887	WAUCONDA HEALTHCARE AND REHAB	176 THOMAS COURT

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Phone Number

8154597791





8477261200

8154776569

8475265551

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased	Footnote-1
	11.7%
	23.2%
	29.1%
	3.8%





Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)




Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay high-risk residents with pressure ulcers	Footnote-3
 5.6%	
 3.5%	
 5.9%	
 1.7%	

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)




Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay low-risk residents who lose control of their bowels or bladder



Not Available



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)


Footnote-5

Not Available - The number of residents is too small to report. Call the facility to discuss this quality measure.

Compare Q3 Quality Measures - 4 local facilities


Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have had a catheter inserted and left in their bladder



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)




Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents assessed and given, appropriately, the seasonal influenza vaccine



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11

Compare Q3 Quality Measures - 4 local facilities


Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents assessed and given, appropriately, the pneumococcal vaccine




Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the seasonal influenza vaccine



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the pneumococcal vaccine




Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-16	Percent of short-stay residents who newly received an antipsychotic medication
	3.1%
	1.4%
	1.6%
	2.7%

Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)



Compare Q3 Quality Measures - 4 local facilities

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18